

53

PLUS Search Results for S/N 09787353, Searched January 25, 2005

The Patent Linguistics Utility System (PLUS) is a USPTO automated search system for U.S. Patents from 1971 to the present. PLUS is a query-by-example search system which produces a list of patents that are most closely related linguistically to the application searched. This search was prepared by the staff of the Scientific and Technical Information Center, SIRA.

5490146  
4628437  
5339269  
5428753  
5452307  
5452443  
5590290  
5604874  
5657458  
5757806  
5774679  
5877770  
5896515  
6047345  
6219735  
6219735  
6266762  
5237670  
5313594  
5444858  
5577229  
5586299  
5243704  
4816826  
6088752  
6141708  
5581713  
5787095  
4378588  
4807116  
4817091  
4837767  
4858234  
5058006  
5276818

09787353\_LIST

5387784  
5404464  
5455914  
5629950  
5732244  
5745772  
5761724  
5983303  
5991843  
6029223  
6032231  
6088753  
6115756  
6182176  
6256694

09787353\_QUAL

5490146 85  
4628437 85  
5339269 85  
5428753 85  
5452307 85  
5452443 85  
5590290 85  
5604874 85  
5657458 85  
5757806 85  
5774679 85  
5877770 85  
5896515 85  
6047345 85  
6219735 85  
6219735 85  
6266762 85  
5237670 85  
5313594 85  
5444858 85  
5577229 85  
5586299 85  
5243704 85  
4816826 85  
6088752 85  
6141708 85  
5581713 85  
5787095 85  
4378588 85  
4807116 85  
4817091 85  
4837767 85  
4858234 85  
5058006 85  
5276818 85  
5387784 85  
5404464 85  
5455914 85  
5629950 85  
5732244 85  
5745772 85  
5761724 85  
5983303 85  
5991843 85  
6029223 85  
6032231 85  
6088753 85  
6115756 85

09787353\_QUAL

6182176 85  
6256694 85

09787353\_CLSTITLES

Titles of Most Frequently Occurring Classifications of Patents Returned

From A Search of 09787353 on January 25, 2005

- 7 710/110 (3 OR, 4 XR)
  - Class 710 : ELECTRICAL COMPUTERS AND DIGITAL DATA PROCESSING SYSTEMS: INPUT/OUTPUT
  - 710/100 INTRASYSTEM CONNECTION (E.G., BUS AND BUS TRANSACTION PROCESSING)
  - 710/107 .Bus access regulation
  - 710/110 ..Bus master/slave controlling
- 6 710/107 (2 OR, 4 XR)
  - Class 710 : ELECTRICAL COMPUTERS AND DIGITAL DATA PROCESSING SYSTEMS: INPUT/OUTPUT
  - 710/100 INTRASYSTEM CONNECTION (E.G., BUS AND BUS TRANSACTION PROCESSING)
  - 710/107 .Bus access regulation
- 5 710/118 (3 OR, 2 XR)
  - Class 710 : ELECTRICAL COMPUTERS AND DIGITAL DATA PROCESSING SYSTEMS: INPUT/OUTPUT
  - 710/100 INTRASYSTEM CONNECTION (E.G., BUS AND BUS TRANSACTION PROCESSING)
  - 710/107 .Bus access regulation
  - 710/113 ..Centralized bus arbitration
  - 710/118 ...Delay reduction
- 4 710/100 (2 OR, 2 XR)
  - Class 710 : ELECTRICAL COMPUTERS AND DIGITAL DATA PROCESSING SYSTEMS: INPUT/OUTPUT
  - 710/100 INTRASYSTEM CONNECTION (E.G., BUS AND BUS TRANSACTION PROCESSING)
- 4 710/105 (2 OR, 2 XR)
  - Class 710 : ELECTRICAL COMPUTERS AND DIGITAL DATA PROCESSING SYSTEMS: INPUT/OUTPUT
  - 710/100 INTRASYSTEM CONNECTION (E.G., BUS AND BUS TRANSACTION PROCESSING)
  - 710/105 .Protocol
- 4 710/113 (1 OR, 3 XR)
  - Class 710 : ELECTRICAL COMPUTERS AND DIGITAL DATA PROCESSING SYSTEMS: INPUT/OUTPUT
  - 710/100 INTRASYSTEM CONNECTION (E.G., BUS AND BUS TRANSACTION PROCESSING)
  - 710/107 .Bus access regulation

09787353\_CLSTITLES

710/113           ..Centralized bus arbitration

3 710/266           (2 OR, 1 XR)  
     Class 710 : ELECTRICAL COMPUTERS AND DIGITAL DATA  
                   PROCESSING SYSTEMS: INPUT/OUTPUT  
     710/260           INTERRUPT PROCESSING  
     710/266           ..Programmable interrupt processing

3 711/145           (1 OR, 2 XR)  
     Class 711 : ELECTRICAL COMPUTERS AND DIGITAL PROCESSING  
                   SYSTEMS: MEMORY  
     711/100           STORAGE ACCESSING AND CONTROL  
     711/117           ..Hierarchical memories  
     711/118           ..Caching  
     711/141           ...Coherency  
     711/145           ....Access control bit

2 370/376           (0 OR, 2 XR)  
     Class 370 : MULTIPLEX COMMUNICATIONS  
     370/351           PATHFINDING OR ROUTING  
     370/357           ..Through a circuit switch  
     370/360           ..Switching control  
     370/375           ...Time switch, per se (e.g., T or T-T)  
     370/376           ....Time slot interchange, per se

2 370/535           (1 OR, 1 XR)  
     Class 370 : MULTIPLEX COMMUNICATIONS  
     370/473           ..Transmission of a single message having  
                       multiple packets  
     370/498           ..Combining or distributing information via tim  
     e  
                       channels  
     370/535           ..Multiplexing combined with demultiplexing

2 700/2            (1 OR, 1 XR)  
     Class 700 : DATA PROCESSING: GENERIC CONTROL SYSTEMS OR  
                   SPECIFIC APPLICATIONS  
     700/1            GENERIC CONTROL SYSTEM, APPARATUS OR PROCESS  
     700/2            ..Plural processors

2 709/237           (0 OR, 2 XR)  
     Class 709 : ELECTRICAL COMPUTERS AND DIGITAL PROCESSING  
                   SYSTEMS: MULTIPLE COMPUTER OR PROCESS COO

RDINATING  
     709/200           MULTICOMPUTER DATA TRANSFERRING  
     709/230           ..Computer-to-computer protocol implementing  
     709/237           ..Computer-to-computer handshaking

09787353\_CLSTITLES

2	710/112	(2 OR, 0 XR)	
	Class	710	: ELECTRICAL COMPUTERS AND DIGITAL DATA PROCESSING SYSTEMS: INPUT/OUTPUT
	710/100		INTRASYSTEM CONNECTION (E.G., BUS AND BUS TRANSACTION PROCESSING)
	710/107		.Bus access regulation
	710/112		..Bus request queuing
2	710/269	(0 OR, 2 XR)	
	Class	710	: ELECTRICAL COMPUTERS AND DIGITAL DATA PROCESSING SYSTEMS: INPUT/OUTPUT
	710/260		INTERRUPT PROCESSING
	710/269		.Handling vector
2	710/306	(2 OR, 0 XR)	
	Class	710	: ELECTRICAL COMPUTERS AND DIGITAL DATA PROCESSING SYSTEMS: INPUT/OUTPUT
	710/100		INTRASYSTEM CONNECTION (E.G., BUS AND BUS TRANSACTION PROCESSING)
	710/305		.Bus interface architecture
	710/306		..Bus bridge
2	711/141	(1 OR, 1 XR)	
	Class	711	: ELECTRICAL COMPUTERS AND DIGITAL PROCESSING SYSTEMS: MEMORY
	711/100		STORAGE ACCESSING AND CONTROL
	711/117		.Hierarchical memories
	711/118		..Caching
	711/141		...Coherency
2	711/144	(1 OR, 1 XR)	
	Class	711	: ELECTRICAL COMPUTERS AND DIGITAL PROCESSING SYSTEMS: MEMORY
	711/100		STORAGE ACCESSING AND CONTROL
	711/117		.Hierarchical memories
	711/118		..Caching
	711/141		...Coherency
	711/144		....Cache status data bit
2	711/146	(0 OR, 2 XR)	
	Class	711	: ELECTRICAL COMPUTERS AND DIGITAL PROCESSING SYSTEMS: MEMORY
	711/100		STORAGE ACCESSING AND CONTROL
	711/117		.Hierarchical memories
	711/118		..Caching
	711/141		...Coherency
	711/146		....Snooping

09787353\_CLSTITLES

2	711/149	(1 OR, 1 XR)	
	Class	711 :	ELECTRICAL COMPUTERS AND DIGITAL PROCESSING SYSTEMS: MEMORY
	711/100		STORAGE ACCESSING AND CONTROL
	711/147		.Shared memory area
	711/149		..Multiport memory
2	711/150	(0 OR, 2 XR)	
	Class	711 :	ELECTRICAL COMPUTERS AND DIGITAL PROCESSING SYSTEMS: MEMORY
	711/100		STORAGE ACCESSING AND CONTROL
	711/147		.Shared memory area
	711/150		..Simultaneous access regulation
2	711/169	(0 OR, 2 XR)	
	Class	711 :	ELECTRICAL COMPUTERS AND DIGITAL PROCESSING SYSTEMS: MEMORY
	711/100		STORAGE ACCESSING AND CONTROL
	711/167		.Access timing
	711/169		..Memory access pipelining
2	714/24	(1 OR, 1 XR)	
	Class	714 :	ERROR DETECTION/CORRECTION AND FAULT DETECTION/RECOVERY
	714/100		DATA PROCESSING SYSTEM ERROR OR FAULT HANDLING
	714/1		.Reliability and availability
	714/2		..Fault recovery
	714/24		...Safe shutdown
2	714/805	(1 OR, 1 XR)	
	Class	714 :	ERROR DETECTION/CORRECTION AND FAULT DETECTION/RECOVERY
	714/699		PULSE OR DATA ERROR HANDLING
	714/799		.Error/fault detection technique
	714/800		..Parity bit
	714/805		...Storage accessing (e.g., address parity check)



Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	93	("5490146" "4628437" "5339269" "5428753" "5452307" "5452443" "5590290" "5604874" "5657458" "5757806" "5774679" "5877770" "5896515" "6047345" "6219735" "6219735" "6266762" "5237670" "5313594" "5444858" "5577229" "5586299" "5243704" "4816826" "6088752" "6141708" "5581713" "5787095" "4378588" "4807116" "4817091" "4837767" "4858234" "5058006" "5276818" "5387784" "5404464" "5455914" "5629950" "5732244" "5745772" "5761724" "5983303" "5991843" "6029223" "6032231" "6088753" "6115756" "6182176" "6256694").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 12:38
S1	1056	((free idle) with (convert conversion)) same (module device)) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 07:17
S2	4540	((free idle) with (packet token)) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 07:42
S3	30	("idle token") and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 07:17
S4	125	((free idle) with (packet token) with change)) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 07:43
S5	25	((free idle) adj (packet token) with change)) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 10:24
S6	0	(710/126.ccls.) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 10:24

S7	369	(710/305.ccls.) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 10:25
S8	72	(710/309.ccls.) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 10:29
S9	152	(710/241.ccls.) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 10:36
S10	342	(710/113.ccls.) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 10:40
S11	545	(710/107.ccls.) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 10:42
S12	447	(709/225.ccls.) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 10:48
S13	150	(709/251.ccls.) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 10:54
S14	47	(709/252.ccls.) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 10:56
S15	120	(709/253.ccls.) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 15:20

S16	22	US-5541932-\$.DID. OR US-5481681-\$.DID. OR US-5450547-\$.DID. OR US-5375215-\$.DID. OR US-4709364-\$.DID. OR US-4669079-\$.DID. OR US-4488232-\$.DID. OR US-5754807-\$.DID. OR US-0566417-\$.DID. OR US-5627976-\$.DID. OR US-5619661-\$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 13:38
S17	23	US-5541932-\$.DID. OR US-5481681-\$.DID. OR US-5450547-\$.DID. OR US-5375215-\$.DID. OR US-4709364-\$.DID. OR US-4669079-\$.DID. OR US-4488232-\$.DID. OR US-5754807-\$.DID. OR US-5664117-\$.DID. OR US-5627976-\$.DID. OR US-5619661-\$.DID.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 13:47
S18	0	wo8001421	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 13:50
S19	10	"8001421"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 13:50
S20	771	(bus same (arbiter arbitration) same packet) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 07:20
S21	404	(bus with (arbiter arbitration) with packet) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:00
S22	0	(bus with (arbiter arbitration) with "dedicated packet") and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:00
S23	1	((arbiter arbitration) with "dedicated packet") and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:00

S24	2	((arbiter arbitration) same "dedicated packet") and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:01
S25	7	((arbiter arbitration) same "grant packet") and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:07
S26	20	"4709364".URPN.	USPAT	OR	ON	2004/05/19 14:03
S27	87	((arbiter arbitration) with grant with packet) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:10
S28	49	((arbiter (arbitration adj (unit device))) with grant with packet) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:11
S29	63	((arbiter (arbitration adj (unit device))) with grant with (packet token)) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:14
S30	10	((arbiter (arbitration adj (unit device))) with (grant near3 (packet token))) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:16
S31	449	((arbiter (arbitration adj (unit device))) with (packet token)) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:16
S32	142	((arbiter (arbitration adj (unit device))) near2 (packet token)) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:20
S33	96	(reservation adj (packet token)) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:23
S34	60	(grant adj (packet token)) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 15:09

S35	0	(dedicateed adj (packet token)) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:41
S36	133	(dedicated adj (packet token)) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:50
S37	396	(710/113.ccls. 710/309.ccls.) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:50
S38	91	((710/113.ccls. 710/309.ccls.) and @ad<"19980918") and (packet token)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 14:50
S39	72	(arbitration adj (packet token)) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 15:18
S40	38	(token same "grant access") and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/20 14:44
S41	1	("request access" same "send token") and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/19 15:56
S42	46	("circulate token") and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/20 14:56
S43	22	("arbitration token") and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/20 15:26
S44	1	((non\$1destructive adj arbitration) with token) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/20 15:14

S45	51	("arbitration packet") and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/20 15:27
S46	590	("access packet") and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/20 15:32
S47	223	("access token") and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/20 15:36
S48	12	((central\$4 with arbitrat\$3) same token) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/20 16:01
S49	2	"5488693".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/20 15:53
S50	18	phelps.in. and pixelfusion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/20 15:49
S51	194	("request token") and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/20 16:07
S52	0	("packet-based arbitration") and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/20 16:11
S53	0	("packet-based arbitration") and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/20 16:11
S54	60	("packet arbitration") and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/20 16:12



S55	1693	(address with token) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 07:20
S56	305	(addressed with token) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 07:20
S57	20	("addressed token") and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 07:49
S58	79	(usb with request) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 08:10
S59	13	(usb with arbitrat\$3) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 07:57
S60	1	(usb with "request access") and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 08:38
S61	0	((((free idle) adj (token packet)) with (usb "1394"))) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 08:38
S62	578	((((free idle) adj (token packet))) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 08:39
S63	28	((((free idle) adj (token packet)) with bus) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 09:54
S64	16920	((((free idle) with (convert conversion))) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/25 07:17

S65	45	((packet token) with (free idle) with (convert conversion)) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 09:56
S66	9	((free idle) adj (packet token)) with (convert conversion)) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 15:10
S67	26	(usb with "integrated circuit") and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 08:44
S68	55	pixelfusion	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 10:20
S69	1	(usb with "graphics processing") and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 10:24
S70	28	(usb with graphics) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 10:39
S71	1	(usb with "video game") and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 10:40
S72	4	(usb same "video game") and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 10:40
S73	4	((free idle) adj (packet token)) with (create)) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 15:27
S74	12	((free idle) near (frame)) with (convert conversion)) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/05/24 15:28



S75	0	(soc with usb) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 15:20
S76	1	(soc same usb) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 15:21
S77	158	(soc same "1394") and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 15:22
S78	0	(soc same firewire) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/19 15:22
S79	81	(usb with chip) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 07:34
S80	159	((usb "1394" firewire) same (soc system-on-chip "system on chip")) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 07:38
S81	0	((usb "1394" firewire) and (system-on-chip "system on chip")) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 07:38
S82	1	((usb "1394" firewire) and (system-on-a-chip "system on a chip")) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 08:38
S83	187	((usb "1394" firewire) and (system-on-a-chip "system on a chip"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 08:39
S84	192	((usb "1394" firewire) with ("integrated circuit" integrated-circuit ic chip)) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 09:44

S85	31	((usb "1394" firewire) with ("internal bus")) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 15:29
S86	2	"4709364".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/24 13:56
S87	397	(710/113.ccls. 710/309.ccls.) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 06:37
S88	0	(710/126.ccls.) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 06:37
S89	369	(710/305.ccls.) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 06:37
S90	72	(710/309.ccls.) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 06:37
S91	153	(710/241.ccls.) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 06:37
S92	343	(710/113.ccls.) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 06:37
S93	545	(710/107.ccls.) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 06:37
S94	449	(709/225.ccls.) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 06:37

S95	151	(709/251.ccls.) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 06:37
S96	47	(709/252.ccls.) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 06:37
S97	120	(709/253.ccls.) and @ad<"19980918"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/25 06:37